AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended): A method for generating agitation noise comprising an arbitrary number of points, with predetermined histogram, shaped around at least one arbitrary frequency, comprising:

[[-]] [[the]] generation of noise by a succession of several sequences $\{h(kN+n)\}_{1 \le n \le N}$ of M.N points (M, N integers ≥ 1), [[-]] [[[S2]:]] [[the]] choosing for each sequence of M basic subsequence(s) $\{h_{lm}(n)\}_{1 \le n \le N, m \le M}$ in a random and independent manner from among at least L basic subsequence(s) of N points shaped around a predetermined frequency (L integer ≥ 1),

[[[-S4]:]] [[the]]choosing in a random and independent manner, for each sequence, of the sign s applied to each of the chosen subsequences.

- 2. (currently amended): [[A]] <u>The</u> method for generating agitation noise according to claim 1 wherein it comprises [[[S6]:]] [[the]] choosing in a random and independent manner, for each sequence, of the direction of temporal reading R of each of the chosen basic subsequences.
- 3. (currently amended): [[A]] The method for generating agitation noise according to claim 1 wherein M = 1.
- 4. (currently amended): [[A]] <u>The</u> method for generating agitation noise according to claim 1 wherein the predetermined shaping frequency of the basic subsequences is equal to the arbitrary shaping frequency of the noise.
- 5. (currently amended): [[A]] <u>The</u> method for generating agitation noise according to claim 1 wherein it comprises [S8]: for each sequence, the interleaving E of several subsequences.

2

- 6. (currently amended): [[A]] The method for generating agitation noise according to claim 1 wherein the interleaved subsequences are either the M subsequences $\{h_{lm}(n)\}_{1 \le n \le N, m \le M}$ chosen from among L basic subsequences, or the ones part of the M chosen subsequences $\{h_{lm}(n)\}_{1 \le n \le N, m \le M}$ from among L basic subsequences, or several subsequences obtained by interleaving of several basic subsequences $\{h_l(n)\}_{1 \le n \le N, \dots}$
- 7. (currently amended): [[A]] The method for generating agitation noise according to claim 5 wherein M = L.
- 8. (currently amended): [[A]] <u>The</u> method for generating agitation noise according to claim 5 wherein the predetermined shaping frequency of the basic subsequences is equal to double at least one of the arbitrary shaping frequencies of the noise.
- 9. (currently amended): [[A]] The method for generating agitation noise according to claim 1 wherein the choosing of a basic subsequence $\{h_l(n)\}_{1 \le n \le N}$ leads to the reading of this basic subsequence in storage means.
- 10. (currently amended): [[A]] <u>The</u> method for generating agitation noise according to claim 1 wherein the basic subsequences $\{h_l(n)\}_{1 \le n \le N}$ are equiprobable signals shaped around a predetermined frequency.
- 11. (currently amended): [[A]] <u>The</u> device for generating an agitation noise comprising an arbitrary number of points, with predetermined histogram, shaped around at least one arbitrary frequency implementing the method of any one of claim[[s]] 1 to 10 comprising:
- [[-]] means of successive provision [[(7)]] of several sequences $\{h(kN+n)\}_{1\leq n\leq N}$ of M.N points (M, N integers ≥ 1),
- [[-]] means of selection [[(1)]], for each sequence, of M subsequence(s) $\{h_{lm}(n)\}_{1 \le n \le N}$, $m \le M$ in a random and independent manner from among at least L basic subsequence(s) of N points shaped around a predetermined frequency (L integer ≥ 1),
- [[-]] means of selection [[(4)]], in a random and independent manner, for each sequence, of the sign applied to each of the chosen subsequences $\{h_{lm}(n)\}_{1 \le n \le N, \ m \le M}$.

PATENT

- 12. (currently amended): [[A]] <u>The</u> device for generating agitation noise according to claim 11 wherein it comprises means of selection [[(5)]], in a random and independent manner, for each sequence, of the direction of temporal reading of each of the chosen basic subsequences.
- 13. (currently amended): [[A]] <u>The</u> device for generating agitation noise according to claim 11 wherein it comprises means of interleaving [[(6)]] of the M chosen subsequences, for each sequence.
- 14. (currently amended): [[A]] The device for generating agitation noise according to claim 11 wherein it comprises means of storage [[(3)]] of a basic subsequence and means of reading [[(2)]] of the chosen basic subsequence $\{h_{lm}(n)\}_{1 \le n \le N, m \le M}$ in the storage means [[(3)]].
- 15. (currently amended): [[A]] <u>The</u> digital analog converter comprising an agitation noise generation device as claimed in any one of claim[[s]] 11 to 14.
- 16. (currently amended): [[A]] <u>The</u> frequency synthesis system comprising an agitation noise generation device as claimed in any one of claim[[s]] 11 to 14.
- 17. (currently amended): [[A]] The sigma delta modulator comprising an analog digital converter on the direct channel, an agitation noise generation device as claimed in any one of claim[[s]] 11 to 14, an adder adding the agitation noise generated by the agitation noise generation device to the input of the analog digital converter, and a digital analog converter on the return channel.

4